





www.flexiblemetals.in

ABOUT US



Vardhman Flexible Hoses manufacture and supply Stainless-Steel Corrugated Hoses and Assemblies for diversified Industry Applications. Our production and supply of hose range from 6 MM-300 MM with SS Grade 304,316 and 321. Hi-Tech manufacturing facility with quality testing and inspection enable us to provide nearly maintenance free hose with high degree operational safety and long service life.



INDUSTRIES WE SERVE

Our stainless-steel corrugated hoses and assemblies cater to a wide range of industries, including:



Pharmaceuticals



Steel Plant



Gas & Oil



Refineries



Steam, Hot water



Power Pump Station



Fertilizer



Railways



Petrochemical Industry



SINGLE WIRE T.P

170

150

135

120

105

95

75

60

50

45

36

27

24

21

15

110

100

90

80

70

60

45

40

35

30

24

18

16

14

10

SINGLE WIRE

B.P

440

400

360

320

280

240

180

160

140

120

96

72

64

56

40



STAINLESS STEEL CORRUGATED HOSE

These are pressure tight hose made from the tube or from strip, with corrugation, helical or to the axis of the hose made by deforming the metal, Its flexibility being obtained by bending the corrugations.

It is usually covered with a Stainless Steel Braid to ensure high pressure resistance and control the elongation of the tube.

GRADES AVAILABLE : SS304, SS304L, SS316, SS316L, SS321

• APPLICATION :

BOILERS, PNEUMATIC, RAILWAYS, WATER AND LIQUIDS TRANSFER

• TEMPERATURE RANGE : -270° C TO 700° C

NOMINAL DIA **BEND RADIUS** NO. OF WIRE BRAID COVERAGE (%) INCH O.D MM CORRUGATION MACHINE SINGLE WIRE W.P ΜМ WIRE S F BRAIDING PER MTR. 1/4" 9.4 471 MECHANICAL 0.25 97.1 85 6 6 25 MECHANICAL б 95.2 135 8 5/16" 12 422 0.25 32 7 10 3/8" 14 380 MECHANICAL 0.25 96.3 38 145 12 1/2" 16.7 322 MECHANICAL 0.25 9 95 45 145 5/8" 21.6 280 MECHANICAL 0.25 11 97.2 55 165 16 3/4" 26.8 MECHANICAL 9 95.5 175 20 262 0.30 65 MECHANICAL 1" 32.5 294 0.30 10 94.6 205 25 80 11/4" 41.04 266 MECHANICAL 0.35 8 93.1 100 265 32 40 11/2" 49.6 184 MECHANICAL 0.35 9 92 130 305 2" 59 184 **HYDRO** 0.40 10 95.2 325 50 160

HYDRO

HYDRO

HYDRO

HYDRO

HYDRO

TECHNICAL SHEET

21/2"

3"

4"

5"

6"

65

80 100

125

150

81

94.8

116.75

143.4

169.5

103

96

84

80

72

0.40

0.40

0.50

0.50

0.50

9

10

10

11

12

94.5

93.4

91

88.2

87

180

200

280

320

380

420

450

560

730

820





STAINLESS STEEL HOSE ASSEMBLIES

For final application of stainless steel corrugated hose, It is connected with end connections which together becomes a hose assembly.


Following is our range of end connections as per user demand :

- Flanges end connections (Class-150, Class-300, Table-D etc.)
- Threaded fittings (BSP, BSPT, NPT etc.)
- Camlock and quick release couplings.
- Long pipe ends, elbow reducers etc.
- Various customized fittings as per customer needs.

All Hoses and Assemblies supplied by us are 100% tested and leakproof



THREADED ASSEMBLES We offer threaded assemblies in BSP, NPT, UNF, Metric and more with thread sizes up to 100mm.



FLANGED ASSEMBLIES We offer flanged assemblies in ASA#CLASS 150, 300, B.Std. Table D, E, F.



CUSTOMIZED ASSEMBLIES We offer our customers various types of special fittings as per their requirements.





PTFE HOSES

PTFE hoses used in heavy duty environments where high temperature, high pressure, chemical resistance and elastic qualities are required.

• APPLICATION :

HIGH TEMPERATURE APPLICATIONS: OIL, STEAM, ACID, DIESEL, PETROLEUM, CHEMICAL, PHARMA & FOOD INDUSTRY • TEMPERATURE RANGE : -65°C TO +260°C

TECHNICAL SHEET						
NOMINAL DIA						
ММ	INCH	O.D MM	W.T	NO. OF WIRE	W (PSI)	/.P (BAR)
3.2	1/8"	6	0.85	6	3263	225
4.8	3/16"	7.6	0.7	6	2936	202.5
6.4	1/4"	9	0.7	7	2501	173
8	5/16"	11	0.7	9	2284	157.5
9.5	3/8"	12.4	0.7	11	1958	135
10.3	13/32"	13.3	0.7	9	1813	125
12.7	1/2"	15.9	0.8	10	1704	117.5
16	5/8"	19.2	0.8	8	1269	87.5
19	3/4"	22.6	1	9	1233	85
22.2	7/8"	26	1	10	1160	80
25.4	1"	29.5	1.1	9	1088	75

TECHNICAL SHEET



WHY US ?

With a mindset of continuous improvement in every aspect, we manufacture hoses using European machines along with advanced testing.

In-house production facility ensures the best quality and services at competitive prices.







CONTACT DETAILS

Please feel free to contact anytime on below mentioned Emails or Phone Numbers

VARDHMAN FLEXIBLE HOSE

Partners in Flexible Piping System

Factory Address : F-10, F.I.T, Sector - 57, Faridabad-121004, Haryana

Contact :

+91 8595870426 +91 9899337750 +91 9999253865 **Email** (Domestic Sales) : info@flexiblemetals.in sales@flexiblemetals.in

Sales Office Address : 1/16 A, Asaf Ali Raod New Delhi-110002 **Email** (Exports) : exports@flexiblemetals.in sales@flexiblemetals.in

Ph.: 0129-2977751 Website.: flexiblemetals.in

www.flexiblemetals.in



